



ATF 9G

DESCRIPTION

Synthetic automatic transmission fluid, having a very low viscosity and formulated from top quality base oils and additive package. Especially formulated for 9-gear automatic transmissions of Mercedes-Benz vehicles.

APPLICATION

BARDAHL ATF 9G offers excellent stability and fluidity properties, as well as exceptional fuel economy performances.

SPECIFICATIONS

This product offers the following performance level:

MERCEDES-BENZ	MB 236.17
---------------	-----------

PROPERTIES

- ✓ High viscosity index,
- ✓ Very good thermal stability,
- ✓ Has a low pour point,
- ✓ Provides a high resistance against corrosion and oxidation,
- ✓ Provides anti-wear and antifoam properties,
- ✓ High performance anti-friction additives,
- ✓ Good resistance to vibrations,
- ✓ Limits fuel overconsumption (Fuel economy),
- ✓ Excellent and stable properties under friction conditions.



TECHNICAL DATA

Density at 15°C	Kg/l	0,84
Viscosity 40°C	mm ² /s	17,10
Viscosity 100°C	mm ² /s	4,23
Viscosity index		161
Flash point COC, °C	°C	174
Pour point, °C	°C	-57
Alcalinity TBN	mgKOH/g	n/A

The information contained in this sheet is provided for reference only. Because of continual product development, changes may occur without prior notice. No liability for damages caused by the incompleteness or incorrectness will be accepted.

RECOMMENDATIONS

Handling : any safety information related to the handling and use of this product are gathered in the Safety Data Sheet.

Always check the manufacturer car manual before use.

Storage : it is recommended to use the product within 60 months. It should be stored in its original packaging, closed, and protected from light, humidity and excessive temperature.

REFERENCES & AVAILABILITIES

35981	12 x 1 L
35983	3 x 5 L
35988	20 L
35984	60 L
35987	205 L

